



Case 7322

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of :
Tae-young CHOI et al. :
Serial No.: 10/657,705 :
Filed: September 9, 2003 :
For: SPHYGMOMANOMETER CUFF HAVING :
DOUBLE BLADDER :

REQUEST FOR CORRECTED FILING RECEIPT

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

Applicant respectfully requests that the Patent Office expeditiously issue a corrected Filing Receipt, to read as follows.

Please correct spelling of Applicant's names as follows:

Change "Tae-young Che" to --Tae-young CHOI--; and

Change "Won-ki Kim" to --Won-ky KIM--.

A copy of the Filing Receipt is enclosed herewith.

Respectfully submitted,

Date:

February 10, 2004


Terrence L.B. Brown

Terrence L.B. Brown
Attorney for Applicant
Reg. No. 32,685

SHLESINGER, ARKWRIGHT & GARVEY LLP
3000 South Eads Street
Arlington, Virginia 22202
(703) 684-5600
sb



UNITED STATES PATENT AND TRADEMARK OFFICE




UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/657,705	09/09/2003	3731	0.00	7322	7	12	4

CONFIRMATION NO. 8748

SHLESINGER, ARKWRIGHT & GARVEY LLP
 PATENT, TRADEMARK & COPYRIGHT LAW
 3000 SOUTH EADS STREET
 ARLINGTON, VA 22202

FILING RECEIPT



OC000000011491236

Date Mailed: 12/15/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

-- Choi --
 Tae-young Choi, Residence Not Provided;
~~Won-ky Kim~~, Residence Not Provided;
 -- Won-ky --

Domestic Priority data as claimed by applicant

Foreign Applications

REPUBLIC OF KOREA 10-2003-0016004 03/14/2003

If Required, Foreign Filing License Granted: 12/13/2003

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No

Title

Sphygmomanometer cuff having double bladder

Preliminary Class